

# Product datasheet

Specifications



## Network Management Card for Easy UPS, 1-Phase

AP9544

### Overview

#### Presentation

The Network Management Card for Easy UPS On-Line (AP9544) enables secure remote monitoring and control of one Easy UPS Online through the easy-to-use web browser interface, via EcoStruxure™ IT Software or another SNMP-enabled system.

A 12-month support contract, that allows the customer to access future firmware updates, is included with purchase of the card\*. Upon expiration of the provided support contract the purchase of a new support contract license is required to access future firmware updates and gain the additional benefits of fast access to new features, priority support and rapid cybersecurity updates. Choose "License" under "This product is compatible with" to learn more about the Support Contract Licenses available.

\*The NMC Firmware must be V2.5 or later. Find the latest Firmware in the Software and Firmware section below.

#### Lead Time

Usually in Stock

### Main

**Product Or Component Type** Network interface

**Provided Equipment** User manual  
USB cable

### Physical

**Height** 4.4 cm

**Width** 5.2 cm

**Depth** 8.0 cm

**Net Weight** 0.05 kg

**Mounting Preference** No preference

**Mounting Mode** Not rack-mountable

### Conformance

**Standards** CISPR 32  
EN 55024  
EN 61000-4-2  
EN 61000-4-3  
EN 61000-4-4  
EN 61000-4-5  
EN 61000-4-6  
EN 61000-4-8  
EN 61000-6-2  
EN/IEC 62040-2

**Product Certifications** FCC Class A  
ICES-003  
VCCI class A  
AS/NZS

## Environmental

Ambient Air Temperature For Operation	-5...45 °C
Operating Altitude	0...10000 ft
Relative Humidity	0...95 %
Ambient Air Temperature For Storage	-15...65 °C
Storage Altitude	0.00...15240.00 m
Storage Relative Humidity	0...95 %

## Communications & Management

Communication Network Type	10/100/1000BASE-T
----------------------------	-------------------

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.600 cm
Package 1 Width	16.500 cm
Package 1 Length	23.000 cm
Package 1 Weight	302.000 g
Unit Type Of Package 2	P06
Number Of Units In Package 2	44
Package 2 Height	68.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	21.000 kg

## Contractual warranty


Warranty	2 years repair or replace
----------	---------------------------


## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more >](#)

## Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

**Reach Regulation** [REACH Declaration](#)

**Eu Rohs Directive** Compliant  
[EU RoHS Declaration](#)

**China Rohs Regulation** [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

**Weee** The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins